

# 50HZ 40kw Diesel Generator Set 50kva 3 Phase BFM3C Engine Diesel Generator

# **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1\*20GP CONTAINER
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms: L/C, T/T, Western Union

CHINA

DELLENT

CE ISO

DE-DD55

30 DAYS

USD3000-4000

PLASTIC WRAP

500 PCS PER MONTH

Supply Ability:



# **Product Specification**

- Name:
- Controller:
- Cooling System:
- Frequency:
- Insulation Class:
- Noise Level:
- Phase:
- Power:
- Protection Grade:
- Prime Power:
- Standby Power:
- Highlight:

40kw Diesel Generator Smartgen/Deepsea/ComAp Water Cooling 50HZ H ≤75dB(A) Three Phase Diesel Generator IP23 40kW/50kVA 44kW/55kVA

Diesel Generator Set 50kva, 50kva 3 Phase Generator

**Our Product Introduction** 

## **Product Description**

High Commercial Deutz 50kVA Generator , BFM3C Engine Diesel Generator , Light: CE Deutz 50kva Generator

## .PRODUCT DESCRIPTION

CE Commercial 40kW Deutz 50kVA Generator BFM3C Engine Diesel Generator

#### Application fields:

Diesel generator are used in any situation where a reliable backup power source is necessary to maintain continuity of operations. For example: Healthcare,Data Centers,Telecommunications,Construction,Manufacturing,Oil and Gas,Military,Residential electricity.

## Advantage of our Deutz diesel generator :

Deutz diesel generator have a sturdy housing Longer lifespan Lower maintenance costs Lower noise level Faster delivery time Better team service Higher level technical support.



### Product parameters:

Specification of 50kVA Deutz Diesel Generator Set:

Model		DE-DD55
Max. Power	kVA	55
	kW	44
Rate Power -	kVA	50
	kW	40
Frequency	Hz	50
Rate Voltage	V	400/230

Rate Current	A	L	72.2	
Specification of Deutz Alternator:				
Engine Manufacturer			Deutz (Dalian) Engine Co., Ltd.	
Engine Brand			Deutz	
Engine Model			BFM3C	
No. of Cylinder			4 Cylinder in line	
Aspiration			Turbocharger, after-cooled	
Governor			Electric	
Engine Max. Output Power	kW		50	
Displacement	L		3.2	
Compression Ratio			18.5 : 1	
Starting Voltage	V	,	12	
Bore	mr	n	98	
Stroke	mr	n	105	
Lubrication Oil Capacity	L		7.5	
Intake Air Flow	M3/I	Vin	N.A.	
Fuel Consumption at 100% Load	L/ł	н	11.2	
Specification of Control Panel:				
Controller Brand			Smartgen	
eaker Brand			Delixi	
Breaker Capacity (A)			100	
mergency Stop Button			Supply	
Automatic Mains Fail (AMF)		Supply		
Fuel Level		Supply		
Automatic Transfer Switch		ATS as optional part		

rator include Start-up fault (generator set shutdown), High coolant temperature (alarm and generator set shutdown), Low oil pressure (alarm and generator set shutdown), Low fuel level (alarm), Low cooling fluid level alarm (as optional), Overload (alarm and generator set shutdown), Battery voltage high (alarm). Optional controller: Each model of Deepsea, Smartgen, ComAp brand controller.

. Why Choose Us:



Q: Can we add our logo to products? A: Yes, there are several ways to do this. We can put the label of your logo on the products or make the silk print of your logo on the products. It is free.

If you need Deutz generator with other models technical data, kindly contact us for catalogues!

