



Industrial 200kw Diesel Generator Ricardo Genset 1500RPM / 1800RPM

Our Product Introduction

Basic Information

- Place of Origin: CHINA
- Brand Name: DELLENT
- Certification: CE/ISO9001
- Model Number: DE-W275
- Minimum Order Quantity: 1 PC
- Price: bargain face-to-face
- Packaging Details: PLASTIC WRAP OR PLYWOOD CASE
- Delivery Time: 20-30 DAYS
- Payment Terms: L/C, T/T
- Supply Ability: 1 MONTH 600PCS



Product Specification

- Name: 200kw Diesel Generator
- Engine Brand: Ricardo
- Cooling Method: Water-Cooling System
- Fuel Type: Diesel
- Rated Frequency: 50HZ/60HZ
- Speed: 1500RPM/1800RPM
- Warranty: 12 Months/1000 Hours
- Highlight: **Industrial 200kw Diesel Generator,
200kw Diesel Generator 1800RPM,
Ricardo Genset 1500RPM**

for more products please visit us on dellentpower.com

CE Ricardos Diesel Generator about 200kW

At our Ricardos generator dealership, we understand the importance of quality and reliability when it comes to power generation. That's why we only offer the best generators from Ricardos, a leading manufacturer of power equipment.

. PRODUCT

50 Hz		60 Hz		TECHNICAL DATA				RICARDO WATER-COOLED Series Diesel Generator Sets									
Generator Performance				Engine Performance				Dimension(L x W x H)									
Generator Model	Prime Power		Standby Power		Engine model	Speed	Prime power	Fuel Cons. (100% Load)	Cylinder Bore-Stroke	Displacement	Open Type	Silent Type					
	kW	kVA	kW	kVA		rpm	kW	L/h	Qty./mm	L	mm	mm					
DE-W22	16	20	18	22	4YT23-20D	1500	20	≤240	4 88×95	2.31	130x78x96	220x93x123					
DE-W27	20	25	22	27	N4100DS-30	1500	30	≤225	4 100×115	3.61	130x78x96	220x93x123					
DE-W33	24	30	26	33	N4100DS-30	1500	30	≤225	4 100×115	3.61	130x78x96	220x93x123					
DE-W41	30	38	33	41	N4105DS-36	1500	38	≤220	4 105×120	4.15	130x78x96	220x93x123					
DE-W55	40	50	44	55	N4105ZDS	1500	56	≤210	4 105×120	4.15	153x78x115	230x93x123					
DE-W66	48	60	53	66	N4105ZDS	1500	56	≤210	4 105×120	4.15	159x78x115	239x93x123					
DE-W74	54	68	59	74	N4105ZLDS	1500	66	≤210	4 105×120	4.15	159x85x121	239x98x128					
DE-W96	70	88	77	96	R6105ZDS	1500	84	≤220	6 105×125	6.49	186x90x121	285x108x160					
DE-W96	70	88	77	96	4RT55-88D	1500	88	≤205	4 110×140	5.32	178x85x121	260x108x150					
DE-W110	80	100	88	110	R6105ZLDS	1500	100	≤218	6 105×125	6.49	186x90x121	285x108x160					
DE-W110	80	100	88	110	4RT55-88D	1500	88	≤205	4 110×140	5.32	186x90x121	280x105x150					
DE-W132	96	120	106	132	4RT55-110D	1500	110	≤205	4 110×140	5.32	186x90x121	280x105x150					
DE-W138	100	125	110	138	R6105AZLDS	1500	121	≤218	6 105×130	6.75	235x103x160	300x110x150					
DE-W165	120	150	132	165	R6105BZLDS	1500	132	≤218	6 105×135	7.01	235x103x160	315x120x162					
DE-W165	120	150	132	165	6RT80-132D	1500	132	≤205	6 110×140	7.98	235x103x160	315x120x162					
DE-W220	160	200	176	220	6RT80-176DE	1500	176	≤205	6 110×140	7.98	273x105x172	340x130x185					
DE-W275	200	250	220	275	WT10B-231DE	1500	231	≤205	6 126×130	10.09	279x105x172	380x130x200					
DE-W344	250	313	275	344	WT13B-308DE	1500	308	≤205	6 131×155	12.53	279x105x172	400x135x210					
DE-W413	300	375	330	413	WT13B-330DE	1500	330	≤205	6 131×155	12.53	279x105x172	400x135x210					
DE-W18	13	16	14	18	4YT23-20D	1800	22	≤240	4 88×95	2.31	130x78x96	220x93x123					
DE-W25	18	23	20	25	N4100DS-30	1800	33	≤225	4 100×115	3.61	130x78x96	220x93x123					
DE-W31	22	28	24	31	N4100DS-30	1800	33	≤225	4 100×115	3.61	130x78x96	220x93x123					
DE-W37	27	33	30	37	N4100DS-30	1800	33	≤220	4 100×115	3.61	130x78x96	220x93x123					
DE-W47	34	43	37	47	N4105DS-36	1800	41.8	≤210	4 105×120	4.15	130x78x96	230x93x123					
DE-W55	40	50	44	55	N4100ZDS-42	1800	46.2	≤210	4 105×120	4.15	130x78x96	239x93x123					
DE-W69	50	63	55	69	N4105ZDS	1800	61.6	≤210	4 105×120	4.15	153x78x115	239x96x128					
DE-W83	60	75	66	83	N4105ZLDS	1800	72.6	≤220	4 105×120	4.15	159x78x115	285x108x160					
DE-W91	66	83	73	91	4RT55-88D	1800	96.8	≤205	4 110×140	5.32	159x85x121	260x108x150					
DE-W106	77	96	85	106	R6105ZDS	1800	92.4	≤218	6 105×125	6.49	186x90x121	285x108x160					
DE-W110	80	100	88	110	4RT55-88D	1800	96.8	≤205	4 110×140	5.32	178x85x121	280x105x150					
DE-W124	90	113	99	124	R6105ZLDS	1800	110	≤205	6 105×125	6.49	186x90x121	290x105x150					
DE-W124	90	113	99	124	4RT55-110D	1800	121	≤218	4 110×140	5.32	186x90x121	280x105x150					
DE-W138	100	125	110	138	4RT55-110D	1800	121	≤218	4 110×140	5.32	186x90x121	280x105x150					
DE-W151	110	138	121	151	R6105AZLDS	1800	133.1	≤205	6 105×130	6.75	235x103x160	315x120x162					
DE-W179	130	163	143	179	R6105BZLDS	1800	145.2	≤205	6 105×135	7.01	235x103x160	315x120x162					
DE-W179	130	163	143	179	6RT80-132D	1800	145.2	≤205	6 110×140	7.98	235x103x160	305x130x185					
DE-W220	160	200	176	220	6RT80-176DE	1800	193.6	≤205	6 110×140	7.98	273x105x172	340x130x185					

. Why Choose Us:

Dedicated

We are DEDICATED to meet Customers' need.

Enthusiasm

We respond to our Customers' ENTHUSIASM

Loyalty

We cherish our Customers' LOYALTY

Luxury

We aim to establish our own LUXURY brand

Efficient

We offer our EFFICIENT service

Newest

We adopt NEWEST technologies for products

Trust

We strive for winning the TRUST from Customers

. QUALIFICATION CERTIFICATE:



. FACTORY INTERIOR:



FAQ

Q: What's your delivery time?

A: Standard product 20 days - 30 days.

Q: Can we add our logo to products?

A: Yes, there are several ways to do this. We can put the label of your logo on the products or make the silk print of your logo on the products. It is free.

Q: Can we customize the product?

A: We have a very experienced technical team, we can customize any product according to your requirements, such as synchronization system, wet exhaust system, ultra-silent system



Fuan Dellent Electric & Machinery Co., Ltd.



+8613706938606



jennifer@dellent.com



dellentpower.com

NO.7,JINYE ROADTIEHU INDUSTRIAL AREA CHENGYANG TOWN, FUAN
CITY,NINGDECITY,FUJIAN.CHINA