



600 Kw Cummins 3 Phase Diesel Generator 50HZ 60HZ With Water Cooling System

Our Product Introduction

Basic Information

- Place of Origin: CHINA
- Brand Name: DELLENT-Cummins
- Certification: CE/ISO9001
- Model Number: DE-CC825
- Minimum Order Quantity: 1 PC
- Price: bargain face-to-face
- Packaging Details: PLASTIC WRAP OR PLYWOOD CASE
- Delivery Time: 20-30 DAYS
- Payment Terms: L/C, T/T
- Supply Ability: 1 MONTH 600PCS



Product Specification

- Name: Cummins 3 Phase Diesel Generator
- Engine Brand: Cummins
- Cooling Method: Water-Cooling System
- Fuel Type: Diesel
- Rated Frequency: 50HZ/60HZ
- Speed: 1500RPM/1800RPM
- Warranty: 12 Months/1000 Hours
- Highlight: **Cummins 3 Phase Diesel Generator 50HZ,
CE Cummins 3 Phase Diesel Generator,
600 Kw Cummins Generator**

for more products please visit us on dellentpower.com

CE Cummins Diesel Generator about 600kW.

As an authorized Cummins generator dealer, we offer a wide range of models to suit any power needs and budget. From compact and portable generators to heavy-duty industrial generators, we have the expertise and resources to help you find the perfect generator for your needs.

At our Cummins generator dealership, we understand the importance of quality and reliability when it comes to power generation. That's why we only offer the best generators from Cummins , a leading manufacturer of power equipment.

. PRODUCT

50-0225 TECHNICAL DATA

General Information		Engine Performance		Generator Performance		Dimensions	
Model	Power (kW)	Power (kVA)	Engine (kW)	Engine (kVA)	Generator (kW)	Generator (kVA)	Rated Voltage (V)
50-0225	25	33.3	25	33.3	25	33.3	400/230
50-0230	30	39.6	30	39.6	30	39.6	400/230
50-0235	35	45.9	35	45.9	35	45.9	400/230
50-0240	40	52.2	40	52.2	40	52.2	400/230
50-0245	45	58.5	45	58.5	45	58.5	400/230
50-0250	50	64.8	50	64.8	50	64.8	400/230
50-0255	55	71.1	55	71.1	55	71.1	400/230
50-0260	60	77.4	60	77.4	60	77.4	400/230
50-0265	65	83.7	65	83.7	65	83.7	400/230
50-0270	70	90.0	70	90.0	70	90.0	400/230
50-0275	75	96.3	75	96.3	75	96.3	400/230
50-0280	80	102.6	80	102.6	80	102.6	400/230
50-0285	85	108.9	85	108.9	85	108.9	400/230
50-0290	90	115.2	90	115.2	90	115.2	400/230
50-0295	95	121.5	95	121.5	95	121.5	400/230
50-0300	100	127.8	100	127.8	100	127.8	400/230
50-0305	105	134.1	105	134.1	105	134.1	400/230
50-0310	110	140.4	110	140.4	110	140.4	400/230
50-0315	115	146.7	115	146.7	115	146.7	400/230
50-0320	120	153.0	120	153.0	120	153.0	400/230
50-0325	125	159.3	125	159.3	125	159.3	400/230
50-0330	130	165.6	130	165.6	130	165.6	400/230
50-0335	135	171.9	135	171.9	135	171.9	400/230
50-0340	140	178.2	140	178.2	140	178.2	400/230
50-0345	145	184.5	145	184.5	145	184.5	400/230
50-0350	150	190.8	150	190.8	150	190.8	400/230
50-0355	155	197.1	155	197.1	155	197.1	400/230
50-0360	160	203.4	160	203.4	160	203.4	400/230
50-0365	165	209.7	165	209.7	165	209.7	400/230
50-0370	170	216.0	170	216.0	170	216.0	400/230
50-0375	175	222.3	175	222.3	175	222.3	400/230
50-0380	180	228.6	180	228.6	180	228.6	400/230
50-0385	185	234.9	185	234.9	185	234.9	400/230
50-0390	190	241.2	190	241.2	190	241.2	400/230
50-0395	195	247.5	195	247.5	195	247.5	400/230
50-0400	200	253.8	200	253.8	200	253.8	400/230
50-0405	205	260.1	205	260.1	205	260.1	400/230
50-0410	210	266.4	210	266.4	210	266.4	400/230
50-0415	215	272.7	215	272.7	215	272.7	400/230
50-0420	220	279.0	220	279.0	220	279.0	400/230
50-0425	225	285.3	225	285.3	225	285.3	400/230
50-0430	230	291.6	230	291.6	230	291.6	400/230
50-0435	235	297.9	235	297.9	235	297.9	400/230
50-0440	240	304.2	240	304.2	240	304.2	400/230
50-0445	245	310.5	245	310.5	245	310.5	400/230
50-0450	250	316.8	250	316.8	250	316.8	400/230
50-0455	255	323.1	255	323.1	255	323.1	400/230
50-0460	260	329.4	260	329.4	260	329.4	400/230
50-0465	265	335.7	265	335.7	265	335.7	400/230
50-0470	270	342.0	270	342.0	270	342.0	400/230
50-0475	275	348.3	275	348.3	275	348.3	400/230
50-0480	280	354.6	280	354.6	280	354.6	400/230
50-0485	285	360.9	285	360.9	285	360.9	400/230
50-0490	290	367.2	290	367.2	290	367.2	400/230
50-0495	295	373.5	295	373.5	295	373.5	400/230
50-0500	300	379.8	300	379.8	300	379.8	400/230
50-0505	305	386.1	305	386.1	305	386.1	400/230
50-0510	310	392.4	310	392.4	310	392.4	400/230
50-0515	315	398.7	315	398.7	315	398.7	400/230
50-0520	320	405.0	320	405.0	320	405.0	400/230
50-0525	325	411.3	325	411.3	325	411.3	400/230
50-0530	330	417.6	330	417.6	330	417.6	400/230
50-0535	335	423.9	335	423.9	335	423.9	400/230
50-0540	340	430.2	340	430.2	340	430.2	400/230
50-0545	345	436.5	345	436.5	345	436.5	400/230
50-0550	350	442.8	350	442.8	350	442.8	400/230
50-0555	355	449.1	355	449.1	355	449.1	400/230
50-0560	360	455.4	360	455.4	360	455.4	400/230
50-0565	365	461.7	365	461.7	365	461.7	400/230
50-0570	370	468.0	370	468.0	370	468.0	400/230
50-0575	375	474.3	375	474.3	375	474.3	400/230
50-0580	380	480.6	380	480.6	380	480.6	400/230
50-0585	385	486.9	385	486.9	385	486.9	400/230
50-0590	390	493.2	390	493.2	390	493.2	400/230
50-0595	395	499.5	395	499.5	395	499.5	400/230
50-0600	400	505.8	400	505.8	400	505.8	400/230
50-0605	405	512.1	405	512.1	405	512.1	400/230
50-0610	410	518.4	410	518.4	410	518.4	400/230
50-0615	415	524.7	415	524.7	415	524.7	400/230
50-0620	420	531.0	420	531.0	420	531.0	400/230
50-0625	425	537.3	425	537.3	425	537.3	400/230
50-0630	430	543.6	430	543.6	430	543.6	400/230
50-0635	435	549.9	435	549.9	435	549.9	400/230
50-0640	440	556.2	440	556.2	440	556.2	400/230
50-0645	445	562.5	445	562.5	445	562.5	400/230
50-0650	450	568.8	450	568.8	450	568.8	400/230
50-0655	455	575.1	455	575.1	455	575.1	400/230
50-0660	460	581.4	460	581.4	460	581.4	400/230
50-0665	465	587.7	465	587.7	465	587.7	400/230
50-0670	470	594.0	470	594.0	470	594.0	400/230
50-0675	475	600.3	475	600.3	475	600.3	400/230
50-0680	480	606.6	480	606.6	480	606.6	400/230
50-0685	485	612.9	485	612.9	485	612.9	400/230
50-0690	490	619.2	490	619.2	490	619.2	400/230
50-0695	495	625.5	495	625.5	495	625.5	400/230
50-0700	500	631.8	500	631.8	500	631.8	400/230
50-0705	505	638.1	505	638.1	505	638.1	400/230
50-0710	510	644.4	510	644.4	510	644.4	400/230
50-0715	515	650.7	515	650.7	515	650.7	400/230
50-0720	520	657.0	520	657.0	520	657.0	400/230
50-0725	525	663.3	525	663.3	525	663.3	400/230
50-0730	530	669.6	530	669.6	530	669.6	400/230
50-0735	535	675.9	535	675.9	535	675.9	400/230
50-0740	540	682.2	540	682.2	540	682.2	400/230
50-0745	545	688.5	545	688.5	545	688.5	400/230
50-0750	550	694.8	550	694.8	550	694.8	400/230
50-0755	555	701.1	555	701.1	555	701.1	400/230
50-0760	560	707.4	560	707.4	560	707.4	400/230
50-0765	565	713.7	565	713.7	565	713.7	400/230
50-0770	570	720.0	570	720.0	570	720.0	400/230
50-0775	575	726.3	575	726.3	575	726.3	400/230
50-0780	580	732.6	580	732.6	580	732.6	400/230
50-0785	585	738.9	585	738.9	585	738.9	400/230
50-0790	590	745.2	590	745.2	590	745.2	400/230
50-0795	595	751.5	595	751.5	595	751.5	400/230
50-0800	600	757.8	600	757.8	600	757.8	400/230
50-0805	605	764.1	605	764.1	605	764.1	400/230
50-0810	610	770.4	610	770.4	610	770.4	400/230
50-0815	615	776.7	615	776.7	615	776.7	400/230
50-0820	620	783.0	620	783.0	620	783.0	400/230
50-0825	625	789.3	625	789.3	625	789.3	400/230
50-0830	630	795.6	630	795.6	630	795.6	400/230
50-0835	635	801.9	635	801.9	635	801.9	400/230
50-0840	640	808.2	640	808.2	640	808.2	400/230
50-0845	645	814.5	645	814.5	645	814.5	400/230
50-0850	650	820.8	650	820.8	650	820.8	400/230
50-0855	655	827.1	655	827.1	655	827.1	400/230
50-0860	660	833.4	660	833.4	660	833.4	400/230
50-0865	665	839.7	665	839.7	665	839.7	400/230
50-0870	670	846.0	670	846.0	670	846.0	400/230
50-0875	675	852.3	675	852.3	675	852.3	400/230
50-0880	680	858.6	680	858.6	680	858.6	400/230
50-0885	685	864.9	685	864.9	685	864.9	400/230
50-0890	690	871.2	690	871.2	690	871.2	400/230
50-0895	695	877.5	695	877.5	695	877.5	400/230
50-0900	700	883.8	700	883.8	700	883.8	400/230
50-0905	705	890.1	705	890.1	705	890.1	400/230
50-0910	710	896.4	710	896.4	710	896.4	400/230
50-0915	715	902.7	715	902.7	715	902.7	400/230
50-0920	720	909.0	720	909.0	720	909.0	400/230
50-0925	725</						



. FACTORY INTERIOR:



Fuan Dellent Electric & Machinery Co., Ltd.



+8613706938606



jennifer@dellent.com



dellentpower.com

NO.7,JINYE ROADTIEHU INDUSTRIAL AREA CHENGYANG TOWN, FUAN
CITY,NINGDE CITY,FUJIAN.CHINA