

DELLENT Ricardo Diesel Generator 30kVA/38kW 50HZ Soundproof N4105DS-38

Basic Information

Place of Origin: CHINA
Brand Name: DELLENT
Certification: CE/ISO9001
Model Number: DE-W41
Minimum Order Quantity: 1*20GP
Price: face to face

Packaging Details: PLASTIC WRAP OR PLYWOOD CASE
 Delivery Time: 30 DAYS FROM DEPOSIT RECEIVED

Payment Terms: L/C, T/T

• Supply Ability: 500 PCS PER MONTH



Product Specification

• Engine Model: N4105DS-38

Frequency: 50HzEngine Brand: Ricardo

• No. Of Cylinder: 4 Cylinder In Line

Rated Speed: 1500rpm
Voltage: 400V/230V
Warranty: 12 Months
Controller: Smartgen
Prime Power: 30kW/38kVA
Standby Power: 33kW/41kVA

Name: Ricardo Diesel Generator

DELLENT Ricardo Diesel Generator 30kVA/38kW 50HZ Soundproof N4105DS-38

.PRODUCT DESCRIPTION

50Hz 400V 30kW/38kVA Soundproof Ricardo Diesel Generator



30kW Diesel Generator Powered by Ricardo Diesel Engine:

kVA kW kVA	41 33 38	
kVA		
	38	
kW	30	
Hz	50	
V	400/230	
A	68.56	
	V	V 400/230

Ricarod Diesel Engine:

Engine Manufacturer	
Engine Brand	
Engine Model	
No. of Cylinder	
Aspiration	
Governor	
kW	38
L	4.15
V	24
mm	105
mm	120
	16 : 1
M ³ /Min	N.A.
	L V mm mm

Specification of Control Panel:

Controller Brand	Smartgen		
Controller Model	HGM6120N		
Breaker Brand	Delixi		
Breaker Capacity	А	250	
Battery Charger	Smartgen Model BAC06A		
Emergency Stop Button	Supply		

Automatic Mains Fail (AMF)	Supply
Fuel Level	Supply
Automatic Transfer Switch	ATS as optional part
Mains Monitor	Supply with AMF Function

The control panel supply the full protection with alarm and shutdown of the diesel generator include Start-up fault (generator set shutdown), High coolant temperature (alarm and generator set shutdown), Low oil pressure (alarm and generator set shutdown), Low fuel level (alarm), Low cooling fluid level alarm (as optional), Overload (alarm and generator set shutdown), Battery voltage high (alarm).

Optional controller: Each model of Deepsea, Smartgen, ComAp brand controller.

. Why Choose Us:

Dedicated

We are DEDICATED to meet Customers' need.

Enthusiasm

We respond to our Customers' ENTHUSIASM

Loyalty

We cherish our Customers' LOYALTY

Luxury

We aim to establish our own LUXURY brand

Efficient

We offer our EFFICIENT service

Newest

We adopt NEWEST technologies for products

Trust

We strive for winning the TRUST from Customers

. QUALIFICATION CENTIFICATE:



















. FACTORY INTERIOR:



Description

- 1: The diesel generator should be placed in a well ventilated area to ensure heat dissipation;
- 2: Diesel generators should regularly inspect and replace vulnerable parts such as engine oil and air filter elements to ensure their normal operation;
- 3: When running diesel generators, attention should be paid to the quality and storage method of fuel, to avoid using inferior fuel or improper storage that may cause malfunctions;
- 4: When using diesel generators, appropriate loads should be used according to requirements to avoid overload or underload leading to faults;
- 5: When diesel generators are not used for a long time, regular maintenance and inspection should be carried out to ensure their normal operation;
- 6: Diesel generators should use dry air to avoid malfunctions caused by high humidity;
- 7: Diesel generators should avoid long-term low load operation to avoid affecting the performance of the diesel engine;
- 8: Diesel generators should be avoided in high-altitude areas to avoid affecting the performance of the diesel engine;
- 9: Diesel generators should be avoided from being used in high-temperature environments to avoid affecting the performance of the diesel engine;
- 10: Diesel generators should be avoided in environments with high levels of dust to avoid affecting heat dissipation.



Fuan Dellent Electric & Machinery Co., Ltd.



+8613706938606



jennifer@dellent.com



@ dellentpower.com

NO.7, JINYE ROADTIEHU INDUSTRIAL AREA CHENGYANG TOWN, FUAN CITY, NINGDECITY, FUJIAN. CHINA